Art Unit: 3728

IN THE CLAIMS:

Claims 1 through 21 (canceled).

22. (currently amended) A hair setting assembly comprising:

a housing supported in a base;

one or more heatable hair rollers removable mounted on supports in said housing; and

a lid hingedly mounted to said housing for selectively covering and uncovering said one or more of said heatable hair rollers, said lid having at least two sections that are pivotally connected at opposing ends of said housing wherein each of said at least two sections have one or more channels—The hair setting assembly of claim 21, wherein said one or more channels function to collect accumulated condensation from said lid and direct said condensation to at least one reservoir in said housing.

wherein said housing has a longitudinal axis and is capable of tilting in said base about said longitudinal axis through a specified angle to provide access to said heatable rollers.

23. (currently amended) The A hair setting assembly of claim 22, comprising:

a housing having length?

Art Unit: 3728

a base capable of supporting said housing;

one more supports for supporting heated rollers disposed in said housing; and

-a lid connected to said housing capable providing access to said heated rollers when said lid is in a lifted position;

wherein said housing is capable of remaining tilted about said longitudinal axis an-axis parallel to its length to provide access to said rollers when said lid is in a lifted position.

- 24. (canceled).
- 25. (canceled).
- 26. (currently amended) The hair setting assembly of claim 24 22, wherein said at least two sections seal along a mid-line transverse to said length longitudinal axis of said housing.
 - 27. (canceled).
- 28. (currently amended) The hair setting assembly of claim 27 22, wherein said one or more channels are angled to facilitate collection of accumulated condensation from said lid to at least one reservoir in said housing.
- 29. (currently amended) The A hair setting assembly of claim 22, wherein said comprising:

Art Unit: 3728

a base;

[[a]] housing has having a lower portion supported on said base for pivotal movement with respect to said base, said housing having one or more supports for supporting one or more heatable hair rollers; and

a-lid-hingedly connected to said housing for covering and uncovering said heatable hair rollers, said lid having at least two-sections, said at least two-sections having channels,

wherein when said at least two sections are in a elosed position, said channels are configured to direct condensation towards at least one reservoir disposed in said housing.

- 30. (canceled).
- 31. (canceled).
- 32. (canceled).
- 33. (canceled).
- 34. (new) The hair setting assembly of claim 22, wherein said housing can be tilted about a horizontal axis of rotation that is perpendicular to the vertical extent of said housing.

Art Unit: 3728

35. (new) The hair setting assembly of claim 34, wherein said housing can be tilted about said horizontal axis through a predetermined angle.

36. (new) The hair setting assembly of claim 22, wherein said housing has a lower portion, said lower portion and said base provide different tilt positions.